L Number	Hits	Search Text	DB	Time stamp
15	1733	((717/126-131,151-154,158-161) or (712/219) or (714/35)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 10:11
-	804	(@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:35
-	2	((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check$5).ab.) and ((instruction or code) adj2 sequence$1) and (slot$1 or schedul$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:24
-	1	((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check$5).ab.) and ((instruction or code) adj2 sequence$1) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:37
-	84	((insert$4 or put or plac$4 or embedd$3) near4 ((code or instructions))) same ((idle or no-op or unused or stall$2) adj3 (slot$1 or space$1 or portion$1 or areas))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:28
-	68	(((insert$4 or put or plac$4 or embedd$3) near4 ((code or instructions))) same ((idle or no-op or unused or stall$2) adj3 (slot$1 or space$1 or portion$1 or areas))) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:42
-	3	(((insert$4 or put or plac$4 or embedd$3) near4 ((code or instructions))) same ((idle or no-op or unused or stall$2) adj3 (slot$1 or space$1 or portion$1 or areas))) and (@ad<=20001121 or @rlad<=20001121) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:32
-	37	((unused or idle or spare or stall)adj2 (time adj slot$1)) and ((code or instructions) near4 insert$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 09:55
-	1	(((((unused or idle or spare or stall)adj2 (time adj slot$1)) and ((code or instructions) near4 insert$4)) and (@ad<=20001121 or @rlad<=20001121)) or (((((insert$4 or put or plac$4 or embedd$3) near4 ((code or instructions))) same ((idle or no-op or unused or stall$2) adj3 (slot$1 or space$1 or portion$1 or areas))) and (@ad<=20001121 or @rlad<=20001121)) and ((((unused or idle or spare or stall)adj2 (time adj slot$1)) and ((code or instructions) near4 insert$4)) and (@ad<=20001121 or @rlad<=20001121)))) and (compil$4 and (instruction near4 schedul$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:45
-	35	(((unused or idle or spare or stall)adj2 (time adj slot$1)) and ((code or instructions) near4 insert$4)) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:42
-	728	(insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:37

-	200	((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and (((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:40
-	33	((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:40
-	51	((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and 717/$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction$1 near4 (schedul$4 or slot$4 or sequenc$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:41

-		51	(((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and 717/$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction$1 near4 (schedul$4 or slot$4 or sequenc$4)))) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:42
-		65	(((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and (instruction$1 near4 (schedul$4 or slot$4 or sequenc$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:43
-		11	(((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and 717/$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction$1 near4 (schedul$4 or slot$4 or sequenc$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:44

–	8	`((((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) not (((insert$4 adj3 (instructions or code)) near5 (slot$1 or bubble$1 or area$1 or portion$1 or space$1 or gap$1 or interspac$3 or no-op or void$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check$5) or instrument$6 or verif$5 or consistenc$4 or validat$4 or estimat$4 or apprais$4))) and 717/$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction$1 near4 (schedul$4 or slot$4 or sequenc$4)))) and (@ad<=20001121 or @rlad<=20001121)) and (instrument$4 or debug$4 or (consisten$3 near3 (verif$4 or check$4)))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 09:24
–	1	`6275929.URPN.`	USPAT	2003/06/24 09:06
–	9	`(stall or bubble) and (insert$5 near3 (instrumentation adj3 (instructions or code)) ) and (@ad<=20001121 or @rlad<=20001121)`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:36
–	1984	`(instrumentation or hook$1 or ((correctness or error ) near2 check$4)) and ((wasted or spare or unused) near3 (cycle$1 or slot$1 or time))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:08
–	13	`5758061.URPN.`	USPAT	2003/06/24 10:18
–	3	`6088525.URPN.`	USPAT	2003/06/24 10:26
–	24	`5581696.URPN.`	USPAT	2003/06/24 10:35
–	1574	`(( (debug or (error adj2 check$4) or validat$4 or verif$6) near3 (code or instructions or hooks) ) same (insert$4 or plac$4 or embedd$4 or intersp$6) )`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:41
–	24	`((( (debug or (error adj2 check$4) or validat$4 or verif$6) near3 (code or instructions or hooks) ) same (insert$4 or plac$4 or embedd$4 or intersp$6) )) and ((wasted or spare or unused) near3 (cycle$1 or slot$1 or time))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:47
–	76	`((( (debug or (error adj2 check$4) or validat$4 or verif$6) near3 (code or instructions or hooks) ) same (insert$4 or plac$4 or embedd$4 or intersp$6) )) and ((idle or void or no-op or stall) near3 ( instruction$1 or slot$1 or areas or cycle$1 or time or interval))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:43

-	6	(((((debug or (error adj2 check$4) or validat$4 or verif$6) near3 (code or instructions or hooks)) same (insert$4 or plac$4 or embedd$4 or intersp$6))) and ((wasted or spare or unused) near3 (cycle$1 or slot$1 or time))) and (((((debug or (error adj2 check$4) or validat$4 or verif$6) near3 (code or instructions or hooks)) same (insert$4 or plac$4 or embedd$4 or intersp$6))) and ((idle or void or no-op or stall) near3 (instruction$1 or slot$1 or areas or cycle$1 or time or interval)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:43
-	367	((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:21
-	26	(((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (spare near3 (time or slot$1 or slic$3 or cycle$1 or space$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:22
-	90	(((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (unused near3 (time or slot$1 or slic$3 or cycle$1 or space$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:53
-	283	(((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot$1 or slic$3 or cycle$1 or space$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:23
-	15	((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (spare near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25
-	44	((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (unused near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25
-	126	((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25
-	15	(((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (spare near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)) and ((@ad<=20001121 or @rlad<=20001121))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:55

		14	((((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)) and ((@ad<=20001121 or @rlad<=20001121))) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:38
-		43	(optimi$5 near3 (use or manag$6 or exploit$5 or control$5)) same ((dead or unused or idle or spare) adj3 (space or time or slot$1 or cycle$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:19
-		18	(((((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (unused near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)) adn (((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4))) and ((@ad<=20001121 or @rlad<=20001121)) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:27
-		11	(((((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and (unused near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4)) adn ((((code or instruction$1) near3 insert$4) and ((unused or spare or idle) adj2 (cycle$1 or slot$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot$1 or slic$3 or cycle$1 or space$1))) and (instrumentation or debug$4 or ((consistenc$$ or correctn$3) same check$4) or verif$4))) and ((@ad<=20001121 or @rlad<=20001121)) and 717/$) and ((branch$3 or addressing or referenc$4) adj2 (instruction or condition or decision))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:28
-		32	((optimi$5 near3 (use or manag$6 or exploit$5 or control$5)) same ((dead or unused or idle or spare) adj3 (space or time or slot$1 or cycle$1))) and ((@ad<=20001121 or @rlad<=20001121))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:30